


CRUISE CRAFT

Lightweight Fibreglass Dinghies

For Estuary, Lake and Bay Fishermen,
Crabbers, Launch Tenders, etc.



Craftsmanship since 1946

CRUISE CRAFT

CIERA 1300

STANDARD FITTINGS — DINGHY MODEL 1300 & 1400: Eye bolt, c



STANDARD INTERIOR LAYOUT

Sealed level floor.
Three bench seats, forward deck, anchor shelf and side pockets.

SPECIFICATIONS

Length Overall	4.04m	13'3"
Maximum Beam	1.665m	5'5"
Freeboard Aft	.425m	1'5"
Transom Height	.390m	1'3½"
Transom Beam	1.390m	4'7"
Weight	130kg	286lbs
Rec. Horsepower Range		Up to 20hp
Transom Angle		14.5°

FEATURES Lightweight • Require lighter power packs for great performance and efficiency • Suitable for flotation • Great stability • High quality workmanship • Seaworthy • Safe • Practical • Easily handled

CRUISE CRAFT

rain plugs, deck cleat, outboard pad and brass strip along keel.

TROPHY 1400



STANDARD INTERIOR LAYOUT

Sealed level floor.
Three bench seats, forward deck, anchor shelf and side pockets.

SPECIFICATIONS

Length Overall	4.4m	14'5 1/2"
Maximum Beam	1.78m	5'10"
Freeboard Aft	.46m	1'6"
Transom Height	.53m	1'9"
Transom Beam	1.475m	4'10"
Weight	150kg	330lbs
Rec. Horsepower Range		Up to 25hp
Transom Angle		14.5°

or towing behind smaller cars•Tough•High ability to absorb impact•Low maintenance•High degree of
lled•Constant hull shape.

CRUISE CRAFT

TROPHY 1400 WITH SIDE CONSOLE



STANDARD LAYOUT


Sealed level floor.

SIDE MOUNTED CONSOLE with mechanical steering, forward deck, anchor shelf, 1 forward bench seat, 2 aft side bench seats and side pockets.

Eye bolt, drain plugs, deck cleat, outboard pad, brass strip along keel, full mechanical steering.

SPECIFICATIONS

Length Overall	4.4m	14'5 1/2"
Maximum Beam	1.78m	5'10"
Freeboard Aft	.46m	1'6"
Transom Height	.53m	1'9"
Transom Beam	1.475m	4'10"
Weight	150kg	330lbs
Rec. Horsepower Range		Up to 25hp
Transom Angle		14.5°



Manufactured by NICHOLS BROS.

Photographs in this brochure may show non-standard options or accessories. The manufacturer reserves the right to alter standard specifications and options without notice.